•	
	_

• •	Application No.	Applicant(s)		
	10/038,174	STANGER ET AL.		
Notice of Allowability	Examiner	Art Unit		
_	Min Jung	2616		
	· ······ oang	2010		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>RCE filed November</u>	<u>1, 2007</u> .			
2. The allowed claim(s) is/are <u>1, 3-15, 31, 16-18, 20-28, and S</u>	32 (renumbered as 1-28, respectively	<u>.</u>		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority unally all blooms.</li> <li>a) All blooms Some* claim for foreign priority unalled all blooms.</li> <li>b) Some* claim for foreign priority unalled all blooms.</li> <li>1. Certified copies of the priority documents have all copies of the priority documents have all copies of the certified copies of the priority documents.</li> </ul>	been received. been received in Application No			
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER' is reason(s) why the oath or declarate	S AMENDMENT or NOTICE OF tion is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
•	•			
Attachment(s)				
1. Notice of References Cited (PTO-892)	<u> </u>	5. Notice of Informal Patent Application		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary ( Paper No./Mail Date			
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7.   Examiner's Amendm			
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statemen	nt of Reasons for Allowance		
•	9.			
•				

10/038,174

Art Unit: 2616

1. The following is an examiner's statement of reasons for allowance: All the claims are allowable over the prior art of record because prior art fail to teach or fairly suggest i) an apparatus for adding auxiliary data to an output data stream, comprising a statistical multiplexer, a first encoder for compressing a first data stream according to a first actual data rate that is less than or equal to first granted data rate granted in response to a requested data rate from the encoder, the difference between the first data rate and the first granted data rate defining an encoder overhead rate, the first encoder having an output including a compressed version of the first data stream provided at the actual data rate and encoder null data at the overhead rate; and an auxiliary multiplexer for sensing encoder null data and for substituting at least a portion of the auxiliary data for the encoder null data, and ii) a method of adding auxiliary data to a data stream as recited in claims, including the step of : prior to the substitution of the at least a portion of the auxiliary data fro the null data in the statistically multiplexed data stream, controlling an amount of the null data in the statistically multiplexed data stream to provide sufficient null data to permit the substitution of at least some of the auxiliary data in the statistically multiplexed data stream.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

10/038,174

Art Unit: 2616

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Min Jung whose telephone number is 571-272-3127. The examiner can normally be reached on Monday through Friday 9:00 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynn Feild can be reached on 571-272-2092. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MJ January 4, 2008

Min Jung V Primary Examiner